



**Agendas for 209<sup>th</sup> meeting of  
Finance and Contract Committee,  
Municipal Corporation Chandigarh**

**Date: 18.07.2011**

**Time: 03.00 p.m.**

**Venue: Committee Room**

**AGENDA ITEM NO. 1**

**Subject:- Confirmation of minutes of 208<sup>th</sup> meeting of the Finance and Contract Committee held on 20.06.2011 at 3.00 p.m. in the Committee Room of MC, Chandigarh.**

## **AGENDA ITEM NO. 2**

**Subject: To devise a policy regarding Night Food Street, Sector-14, Chandigarh.**

As per direction of the Hon'ble High Court of Punjab & Haryana Chandigarh dated 27.05.2011 rendered in C.W.P. No.28229 of 2010, a policy is to be devised on renting out of Kiosks and fixing of rates of eatables being served at Night Food Street, Sector 14, Chandigarh. A Committee consisting of following officers was constituted for devising a policy regarding Night Food Street Sector 14, Chandigarh.

1. Additional Commissioner-II, MC Chandigarh
2. Director Hospitality U.T. Chandigarh
3. Chief Accounts Officer M.C., Chandigarh
4. Law Officer, M.C., Chandigarh

A meeting of the committee was held on 15.06.2011 and it was unanimously decided that the rates of the different food items at University Student Centre may be made applicable to the Kiosks at Night Food Street, Sector 14, Chandigarh. In addition to this it was also unanimously decided by the committee that the Kiosks of Night Food Street should be allotted by way of open draw of lots and monthly rent may be fixed as Rs.25000/- Per Month Per Kiosk. The rates of the eatables shall be regulated by the Municipal Corporation, Chandigarh in consultation with the Director Hospitality U.T. Chandigarh. Copies of the minutes of the meeting dated 15.06.2011 and amended terms & conditions of Night Food Street are enclosed.

The matter is placed before the F & C.C. for consideration and approval.

Sd/-  
Additional Commissioner-II  
Municipal Corporation,  
Chandigarh.

### **AGENDA ITEM NO. 3**

**To consider and to approve amendment in By-Law 7 of the Notification dated 20.02.1961.**

The Municipal Corporation is receiving applications from dependents of Hawkers, who have expired, for transfer of Licence in the name of one of the family members.

In this regard as per By-Laws 7 of the Notification dated 20.02.1961, **the Licence shall not be transferred, except to a member of the family previously nominated and otherwise qualified, with the permission of the Estate officer.** Therefore, the transfer of Licence to the dependent, who does not fulfill the above condition, will be deviation from the policy and till such time the policy is amended, no licence can be transferred. It may be mentioned that there are a number of such cases and as such the F&CC is requested to amend By-Laws 7 of the Notification dated 20.02.1961 to the effect that the Licence shall be transferred, in case there is no previous nomination, on the submission of following documents.

1. Death Certificate of Deceased.
2. Affidavit from all the dependents to the effect that they have no objection to the transfer of Licence to 'X' and a certificate from 'X' to the effect that he will look after the family members.
3. Qualification and age proof.
4. Fulfillment of other conditions of Notification dated 20.02.1961.

**Addl.CMC-II**

#### **AGENDA ITEM NO. 4**

**Subject: Estimate for the work of providing and fixing of DI water supply pipe line For G.M.C.H Sector 32 from water works Sector 32, Chandigarh.**

The water supply to Sector 29-C, D, 30,31,32,47, Indl Area phase 2, Ram Darbar Colony is being fed from the water works sector 32, Chandigarh through a 16" i/d CI pipe line. Before the construction of G.M.C.H. sector 32, the water supply to these area was normal. The expansion of this hospital is going very fast and more blocks are being constructed. The requirement of water in the hospital is increasing day by day at very high rate for the functioning of hospital and as well as for construction purpose also. The requirement of water in the hospital is being fulfilled resulting the sufficient water supply at required pressure is badly effected in above areas. In summer the water supply did not reach at first floor and residents feel lot of harassment. They have to lift the water from ground floor to first floor through buckets. The regular complaints are being received from the residents and news also published in the local news papers. The distribution of water supply system to these sectors shown in the enclosed plan.

It is proposed to provide the 200mm dia DI water supply line separately for supply the water to G.M.C.H. Sec.32 from water work Sec.32, Chd. The independent pumping machinery alongwith control panel has been taken in the estimate. The provision for necessary C.I./M.S. Specials has also been made in the estimate.

As such, an estimate amounting to **Rs. 29.93 Lacs** duly allowed by the competent authority is placed before the **Finance & Contracts Committee** for its consideration and approval. The expenditure shall be chargeable to the Head:- "4215 (P) W/S & sanitation "Laying of add. pipe line"

**Budget details:-**

	Major Head/Head of Account	4215 (P) W/S & sanitation “Laying of add. pipe line
i)	Budget Demanded/ Allocation	Rs.300.00 Lacs
ii)	Total amount of estimates approved during 01-4-2010 to till date under this Head of Account.	--
iii)	Expdt. incurred during current financial year till date	Rs.63.47 Lacs
iv)	Balance	Rs. 236.53 Lacs
iv)	Amount of present estimate	<b>Rs. 29.93 Lacs</b>

S.E. M.C.P.H.

E.E.M.C.P.H.-3

## **AGENDA ITEM NO. 5**

**Subject: - Recarpeting of Road infront of Fun Republic Light Point Kalka Road to Mansa Devi Road, Manimajra, Chandigarh.**

**(Approx. Amount: - Rs.34.66 lacs)**

The parking at Fun Republic, Manimajra, Chandigarh was lastly carpeted in the year 9/2006. As per policy of Municipal Corporation, the recarpeting is to be done after 5 years, which was due for recarpeting during this year. The Road infront of Fun Republic Light Point Kalka Road to Mansa Devi Road, Manimajra, Chandigarh was inspected by the Executive Engineer, Roads Division No.2 alongwith Sub Divisional Engineer, Roads Division No.5, M.C and it has been observed that lot of cracks and pot holes have been developed on the road surface, causing inconvenience to the public. Accordingly a rough cost estimate amounting to Rs.34.66 lacs has been prepared for arranging administrative approval and allotment of funds. The estimate includes the following scope of works.

1. P/L Tack Coat 0.30/kg/Sqm
2. P/1 40mm thick Bituminous Concrete

The expenditure on this work shall be charged under Head “4217 (P) Roads & Bridges”.

The budget allocation cost of already approved estimate and expenditure incurred under this head is as under:

1. Budget allocation for the year 2010-11	Rs. 700.00 lacs
2.Total amount of estimate sanctioned after 1.04.11	Rs.159.92 lacs
3. The expenditure incurred during current financial year	Rs.103.74 lacs

The Agenda is placed before the Finance & Contract Committee of M.C for its consideration and approval please.

**S.E. (B&R) M.C.**

**E.E.R-II, M.C**

## **AGENDA ITEM NO. 6**

**Subject: Rough Cost Estimate for special repair of Muslim Grave Yard in Cremation Ground, Sector-25, Chandigarh.**

**(Amount: Rs.31.23 lacs)**

Sh.Ravinder Singh, Mayor along with Sh.Arshad Khan, Councillor and Chief Engineer, Superintending Engineer (B&R), Executive Engineer, Roads Division No.3, visited the area of Cremation Ground, Sector 25, Chandigarh and desired to carry out special repair of Muslim Grave Yard in cremation Ground, Sector 25, Chandigarh. The Area Councillor has also given her consent to carry out the work.

Accordingly, this rough cost estimate has been framed amounting to

Rs. 31.23 lacs under Plan Head. The scope of the work taken in the estimate is as under:

1. Earth work in excavation by mechanical means.
2. Providing and fixing new PCC kerbs.
3. Providing and laying C.C. 1:8:16.
4. Providing and fixing 60 mm paver blocks.
5. Tile terracing.
6. Pointing/finishing wall with deluxe multi surface paint.
7. Distempering with oil bond.
8. Provision for P.H. works.
9. Provision for Electrical work

The expenditure on this work shall be charged under Head “4217 (P) R&B.” The budget estimates, budget allocation, amount of already approved estimates and expenditure under this head for Roads Division No.3 is as under:-

i.	Budget Allocation for the year 2011-12	Rs. 200.00 lacs
ii.	Total amount of spillover works 31.03.2011	Rs. 969.74 lacs
iii.	Total amount of estimates 01.04.2011	Rs. 435.34 lacs
iv.	Total of Sr.No. 2 & 3	Rs. 1405.08 lacs
v.	Expenditure incurred during current financial year.	Rs.119.70 lacs

The matter is, therefore, placed before the Finance and Contract Committee for its consideration and decision please.

**S.E.(B&R)**

**E.E.Roads-3, M.C.**



## **AGENDA ITEM NO. 7**

**Subject: Rough Cost Estimate for providing and fixing 2.5 mm thick road marking strips (Retro-Reflective) Hot Thermo Plastic paint in Sector 41 to 43, 52, 56 and 61 on V-4, V-5 and parking, Chandigarh.**

**(Amount Rs.26.63 lacs)**

The residents, Representatives of Market Welfare Associations and Area Councillors of Ward No.10,11 and 12 requested to provide centre line, edge line marking in their areas. Accordingly, the survey was got conducted by the undersigned along with S.D.E and J.E., Roads Sub Division No.9 and has been found that the work proposed in the estimate is as per actual requirement and feasible for execution.

Accordingly, this rough cost estimate has been framed amounting to Rs.26.63 lacs under Plan Head. The scope of the work taken in the estimate is as under:

1. Centre line and edge marking.

The expenditure on this work shall be charged under Head “4217 (P) R&B.” The budget estimates, budget allocation, amount of already approved estimates and expenditure under this head for Roads Division No.3 is as under:-

i.	Budget Allocation for the year 2011-12	Rs.200.00 lacs
ii.	Total amount of spillover works 31.03.2011	Rs.969.74 lacs
iii.	Total amount of estimates 01.04.2011	Rs.435.34 lacs
iv.	Total of Sr.No. 2 & 3	Rs.1405.08 lacs
v.	Expenditure incurred during current financial year.	Rs.119.70 lacs

The matter is, therefore, placed before the Finance and Contract Committee for its consideration and decision please.

**S.E.(B&R)**

**E.E.Roads-3, M.C.**

## **AGENDA ITEM NO. 8**

**Subject: Wheel Chair Service for Needy older Persons at Plaza Market, Sector-17, Chandigarh.**

Municipal Corporation, Chandigarh has received a request from State Office of Help-Age India vide which it has been intimated that the Help-Age India is a national level organization working for the wellbeing of older people. They support Number of age care programmes like Assistance to Old Age Homes, Day Care Centers for Senior Citizens besides several other activities for the benefit of Senior Citizen all over India (Copy enclosed).

They have proposed to start a wheel chair service in Sector 17, Shopping plaza Chandigarh which will enable those Sr. Citizens who cannot walk because of some physical ailments to visit the shopping Centre at Sector 17, Chandigarh. The volunteers of Help-Age India will take care of wheel Chairs and movement of the Senior Citizens. The proposed service will be free of cost and the operational timing shall be between 11:00 A.M. to 8:00 P.M. The Wheel Chair will be park near the Police Beat Box near Neelam Cinema.

The agenda is placed before the F & CC for consideration and decision on the request.

Sd/-  
Additional Commissioner-II  
Municipal Corporation,  
Chandigarh.

## **AGENDA ITEM NO. 9**

**Subject: Estimate for the work of Construction of Toilets Block at Water Works, Sec-39, Chandigarh.**

**Rs.4.73 lac**

There is no toilet block for workers of pump house and filtration plant at water works, Sector-39, Chandigarh and the workers have to face very difficult situation at the time of call of nature. So for convenience of workers it is proposed to construct a toilet block of size 13'-0" x 11'-6" near old filtration plant of 45 MGD capacity inside water works, Sector-39, Chandigarh. The scope of work includes building work, public health installations, water connection & disposal of waste water, internal electrification and other contingent items such as plinth protection etc. Thus the estimate for the same duly checked for Rs. 4.73 Lacs has been allowed by the competent authority to be placed before the Water supply & Sewerage Disposal Committee for consideration and approval.

Accordingly the agenda is hereby placed before Water supply & Sewerage Disposal Committee. The expenditure will be charged to head: 4215 –Water Supply and Sanitation Plan – *Renovation* of civil works. Further the detail of Budget allocation is as under:

### **Budget Details:**

<i>Major Head/Head of Account</i>	<i>4215 – Water Supply and Sanitation (Plan) – Renovation of civil works.</i>
Total Budget Allocation	Rs. 124.80 Lacs
Amount of Estimates already sanctioned.	Rs. 12.79 Lacs
Estimates under process	---
Up to date expenditure	Rs. 0.13 Lacs
Amount of present Estimate	Rs. 4.73 Lacs

**AGENDA ITEM NO. 10**

**Subject:- Shifting and Re-construction of road gullies due to widening of V-6 roads in Section 35-A&B, Chandigarh.**

**Amount Rs. 8.40 lacs**

The road wing of M.C Chandigarh is going to start the work for widening of v-6 roads in sector 35-a& b Chandigarh. The SDE road sub-Divn no. 10 Chandigarh has requested vide his office memo no.2936 dated 9.5.2011 to shift road gullies from V-6 roads in sector 35 A & B Chandigarh for proper disposal of rain water. The area councilor has also desired that the necessary arrangement for disposal of rain water be made before completion of road work keeping in view of above the area has been surveyed, and accordingly the rough cost estimate amounting to Rs. 8.40 lacs including the cost of 3% contingency and P.E. charges has been prepared

It has been proposed to shift and re-construction of 69 nos existing road gullies. 12" i/d RCC pipe NP-2 has been proposed for connection from road gully to manhole chamber. There are 10 no. existing manhole slabs to be lower down which comes in the alignment of widening of roads. The detail of amount is as under:-

- |   |                                                                       |                        |
|---|-----------------------------------------------------------------------|------------------------|
| 1 | Cost for shifting and re-construction of road gullies = Rs. 815505.00 |                        |
| 2 | Add contingency and PE charges @ 3%                                   | = Rs. <u>24465.00</u>  |
|   |                                                                       | = <u>Rs. 839970.00</u> |

Say Rs.8.40 Lacs

As such as for the estimate amounting to Rs. 8.40 lacs duly allowed by the competent authority is hereby placed before the W/S and sewerage disposal committee for consideration and approval. The expenditure shall be chargeable to Head 4217 –Plan (SWD ).

EEMCPH-4

**AGENDA ITEM NO. 11**

**Subject:- Providing and fixing of A.C.'s in the Community Centre in Sector-11, Chandigarh.**

**Amount Rs.11.05 lacs**

The community centre Sector-11, Chandigarh has recently been renovated by the B&R wing of M.C. Chandigarh where 2 no. multi purpose halls have been constructed. As per architectural drawing these multi purpose hall all to be made air conditioned with up to date standard. Keeping in view the area has been surveyed by the Sub Divisional Engineer and MCPH Sub Divn. No.14 and submitted the rough cost estimate amounting to Rs.11.05 Lacs including the cost of 3% contingency and P.E. Charges and is being submitted for according Administrative approval and allotment of funds. It is further explained that the agenda for the above said work was to be placed in the water supply and sewerage disposal committee but could not put up in the said committee as the Chairman of the water supply and sewerage committee Sh. Jatinder Bhatia is out of country. Moreover the Vice Chairman i.e. Smt. Rita Sharma is also out of country. The work cited as subject is of an urgent nature and the agenda for the work cited as subject is placed before F&CC, so that the work could be completed in time after approval from the F&CC.

It has been purposed in the estimate to provide 9 no. Tower Split A.C. of 3.5 Tr. Capacity, 4 no. window type A.C. of 1.5 Tr. Capacity and 3 no. Split Type A.C. of 2 Tr. Capacity. The detail of amount is

Total cost for providing A.C.'s	= Rs.1062690.00
Add 3% contingency & PE charges	= Rs.31881.00
Add 1% labour cess	= <u>Rs.10627.00</u>
Total	= <u>Rs. 1105118.00</u>

Say Rs.11.05 Lacs

Therefore, the estimate for the above said work amounting to Rs.11.05 Lacs duly allowed by the competent authority is placed before F & CC for consideration and approval. The expenditure is chargeable to 4217(Plan) Civic work.

**SE MCPH**

**EEMCPH-4**

**AGENDA ITEM NO. 12**

**Subject: Providing 02 Nos. High Mast Lighting System in Mauli Jagran Complex, Chandigarh.**

**(Amount: 6.01 Lacs)**

This estimate has been framed for providing 02 Nos. High Mast Lighting System in Mauli Jagran Complex, Chandigarh. The Area Councillor has requested to CEMC that the Mauli Jagran Complex is a Colony area and there are oftenly quarrels/mis-happenings as it is overcrowded residential area. The public feels very much insecure during late evening and night as the bad elements/miscreants indulge in unsocial activities in the spate of darkness. He desired that if High Mast Lights may be installed, it will solve the purpose of security as well as lights in the complex for the easy movement of public. The area councillor has requested that the expenditure may be met out from his WDF

The estimate has been framed under Head WDF but the CEMC has ordered that the estimate may be framed under Head 4217 (P) Electrification due to non-availability of funds under the WDF in the Councillor's account. Hence this estimate amounting to **Rs. 6.01 lacs** has been framed for according administrative approval under head **4217(P) Electrification**.

In this estimate there is provision of 01 No. High Mast 16 Mtr. long and 01 No. High Mast 12.5 Mtr. long with 12 Nos. Flood Light Luminaries having 2x400 Watt Sodium Vapour Fittings. To complete the work, other material/items are also included in this estimate.

The agenda is put up before the F&CC for consideration and approval please.

Executive Engineer,  
Electrical Division,  
M.C. Chandigarh.

### **AGENDA ITEM NO. 13**

**Subject: Providing Lights in various Parks in Sector 20, Chandigarh.**

**(Amount: 4.18 Lacs)**

This estimate has been framed for providing lights in various Parks in Sector 20, Chandigarh. The Area Councillor has requested to CEMC that in the following Parks lights may be provided for the convenience of public:-

1. Park near BSNL Exchange, Sector 20-C, Chandigarh.
2. Park near back gate of Gurudwara, Sector 20-C, Chandigarh.
3. Park in front of H.No. 1020, Sector 20-B, Chandigarh.

These parks are being developed by Municipal Corporation by providing foot path and landscaping work for the public to walk during early morning and evening hours and due to lack of lights, the residents feels very much insecure in the darkness. To avoid any mis-happening/unsocial activities in the area, the Area Councillor requested for few lights in these parks.

Hence this estimate amounting to **Rs. 4.18 lacs** has been framed for according administrative approval under head **4217(P) Electrification.**

In this estimate there is provision of 20 Nos. Metallic Bollards and RCC Foundations with wire mesh jail & Junction Box, 150 Nos. G.I. Pipe Pole 2.5” dia 4.5 Mtr. long alongwith 15 Nos. Prismatic Globe Type Fittings and other required items i.e. Cable, Pedestal, Bus Bar, Timer etc. to complete the work.

The agenda is put up before the F&CC for consideration and approval please.

Executive Engineer,  
Electrical Division,  
M.C. Chandigarh.

## **AGENDA ITEM NO. 14**

**Subject: Providing additional Lights in various Markets Parking in Sector 31 and 47, Chandigarh.**

**(Amount: 5.61 Lacs)**

This estimate has been framed for providing additional lights in various market parkings in Sector 31 and 47, Chandigarh. The location of each market parking is as:-

1. Market in front of SCO No. 73/74 to 96, Sector 47-C, Chandigarh.
2. Market in front of SCO No. 98 to 116, Sector 47-C, Chandigarh.
3. Market in front of SCO No. 44 to 72, Sector 47-C, Chandigarh.
4. Market near Kendriya Vidhalaya School, Sector 31-D, Chandigarh.
5. Market in Sector 31-C, Chandigarh.

The Area councilor has requested to CEMC that flood lights may be provided in various market parkings of his Ward as these Sectors are at the outer skirts of the Chandigarh and adjoining to Industrial Area as well as Colonies. There are always fear of untoward incidents such as snatching & other incidents. He has also informed that various market associations has requested him for more lights for the security & law and order as these markets are usually visited by the Industrial Labourers residing adjoining to these Sectors and the people/public of these area fell insecure in late evening/night house for their daily shopping/marketing. In this estimate it is proposed that one No. 12 Mtr. High Street Light Pole will be erected in each parking of the market along with 04 Nos. Flood Light 400 Watt SVL Fittings for total lighting up the entire market parkings. Hence this estimate amounting to **Rs. 5.61 lacs** has been framed for according administrative approval under head **4217(P) Electrification**.

In this estimate there is provision of 01 No. Steel Tubular Pole 9 Mtr. long with 06 Nos. Carriage and Erection of 12 Mtr. long pole alongwith 24 Nos. 400 Watt Flood Light Fittings and other allied items i.e. CC Collars, Cable, DWC Pipe, Bracket etc. has been taken to complete the job.

The agenda is put up before the F&CC for consideration and approval please.

Executive Engineer,  
Electrical Division,  
M.C. Chandigarh.



**AGENDA ITEM NO. 15**

**Subject: Providing Street lights on A.G. Road (from Fire Station to A.G. Office), Sector 17, Chandigarh.**

**(Amount: 2.27 Lacs)**

This estimate has been framed for providing Street Lights on A.G. Road (from Fire Station to A.G. Office), Sector 17, Chandigarh. Earlier Street light has been provided on this road, but existing 06 Nos. Street Light Poles alongwith fittings has been dismantled for construction of CC Trench by the Engineering Department, U.T. Chandigarh to lay the electricity cables for the constructions of multi level parking. In addition to this another pole is damaged on the same road which also required replacement. The dismantled pole and fittings has been re-used in other works by the J.E./SDE of Electrical Division. Now the trench has been constructed and Street Light is to be provided as there is no Street Light in this stretch. Hence this estimate amounting to **Rs. 2.27 lacs** has been framed for according administrative approval under head **4217(P) Electrification**.

In this estimate there is provision of 07 Nos. Steel Tubular Pole 9 Mtr. long alongwith 07 Nos. Double Arm bracket and other required items i.e. supply and laying of 4/Core 16mm<sup>2</sup> cable, DWC pipe, earthing etc. to complete the work.

The agenda is put up before the F&CC for consideration and approval please.

Executive Engineer,  
Electrical Division,  
M.C. Chandigarh.

## **AGENDA ITEM NO. 16**

**Subject: Providing Flood Lights on Roof Top for Campus Lighting at M.C. Building (New Deluxe Building), Sector 17, Chandigarh.**

**(Amount: 0.90 Lacs)**

This estimate has been framed for providing Flood lights on roof top for Campus Lighting at M.C. Building (New Deluxe Building), Sector 17, Chandigarh. The police authorities are requesting to Municipal Corporation authorities for installation of Flood Lights/more lights in the official/sensitive buildings at Municipal Corporation Building (New Deluxe Building) is one of them. The police authorities are pressing very hard and this issue has come up in various meetings of higher authorities to review the security arrangements and law & order of the city from any terrorists attack. The Municipal Corporation Building has access from the both side of the road and open to everybody being a public service provider for security purpose and watch and ward of the offices, flood lights are required to be installed for proper visualization of the entire area. Hence it is proposed that 08 Nos. Flood Lights 400 Watt Fittings may be installed at the roof top on three sides of the building. Hence this estimate amounting to **Rs. 0.90 lacs** has been framed for according administrative approval under head **4217(P) Electrification**.

In this estimate there is provision of 8 Nos. 400 Watt M.H. Fittings on roof top alongwith other required items i.e. cable, M.S. Bracket, Junction Box, ICTPN etc. to complete the work.

The agenda is put up before the F&CC for consideration and approval please.

Executive Engineer,  
Electrical Division,  
M.C. Chandigarh.

## **AGENDA ITEM NO. 17**

**Subject: Providing Street Light on V-5 Road, Sector 26 (opposite Water Works), Chandigarh.**

**(Amount: 6.04 Lacs)**

This estimate has been framed for providing Street lights on V-5 Road, Sector 26 (opposite Water Works), Chandigarh. The above said road has been recently widened and at present tube lights on electricity poles has been provided for Street Light. The pole to pole distance is too high and only 40 Watt Tube Lights are provided. On this road there are two main Engineering institutes alongwith main water works, Sector 26 and M.C. Colony, Sector 26. Also this road leads to TTI institute which has residential houses and hostel for boarding. The Engineering institutes also have hostel for the students.

At present the Street Light on this road is too less which causes inconvenience to the public/especially to the students who move out in the late evening hours to go the markets.

The Area Councillor has also requested to CEMC for providing new Street Light through underground cable for providing the lighting/illumination of the road to avoid any mis-happening during late evening hours. Hence this estimate amounting to **Rs. 6.04 lacs** has been framed for according administrative approval under head **4217(P) Electrification.**

In this estimate there is provision of 26 Nos. S.T. Pole 7.5 Mtr. long alongwith 31 Nos. HPSV 150 Watt fittings and other required items i.e. cables, pedestal, DWC Pipe, bracket and Junction Box etc. to complete the work.

The agenda is put up before the F&CC for consideration and approval please.

Executive Engineer,  
Electrical Division,  
M.C. Chandigarh.

**AGENDA ITEM NO. 18**

**Subject: Augmentation of Street Light on V-3 Road, Sector 38-38 W, Chandigarh.**

**(Amount: Rs. 8.14 Lacs)**

This estimate has been framed for providing augmentation of Street Light on V-3 Road, Sector 38-38 W, Chandigarh. The Street Light on this road requires total augmentation & repair as most of the cable has been damaged and the Junction Boxes alongwith C.C. Collars and the Street Light on this road has been very temporary but functional. Also half of the stretch on this road in front of Gurudwara Sahib has been recently widened by the Chandigarh Administration Engineering Department, U.T. Chandigarh by providing divider in the road. On this stretch Street Light on the other end of the road has also been proposed for proper lighting on the road. For complete augmentation and provision of Street Light this estimate amounting to **Rs. 8.14 lacs** has been framed for according administrative approval under head **4217(P) Electrification.**

In this estimate there is provision of 20 Nos. S.T. Pole 9 Mtr. long alongwith 25 Nos. 150 Watt SVL fittings and dismantlement of Poles and other required items i.e. cables, pedestal, DWC Pipe, bracket and Junction Box etc. to complete the work.

The agenda is put up before the F&CC for consideration and approval please.

Executive Engineer,  
Electrical Division,  
M.C. Chandigarh.

## **AGENDA ITEM NO. 19**

**Subject: Providing additional lights in Market Parking, Sector 41-D, Chandigarh.**

**(Amount: Rs. 2.26 Lacs)**

This estimate has been framed for providing additional lights in Market, Sector 41-D, Chandigarh. The Area Councillor has requested that market, Sector 41-D is a very busy market as the same is surrounded by Village Badheri & Butrela and it is over crowded. He requested that one High Electric Pole with Flood Light Fittings may installed in the centre of the market for the safety & convenience of the public as well as market shopkeepers to avoid any chain snatching/looting incident by the miscreants. Also he requested that expenditure may be met out of his WDF.

It is proposed that One No. 12 Mtr. High Electric Poles alongwith 04 Nos. 400 Watt SVL Flood Light Fittings may be installed at the centre of the parking area so that sufficient light all around the area will be available and also the existing Street Light may be set right by providing cable etc. as most of the cable has been damaged while laying paver blocks in front of SCO/Booths and it has been put on functional temporarily by drawing overhead cable/wire. The cable will be laid through underground pipe (DWC) to avoid any damage in future. Hence this estimate amounting to **Rs. 2.26 lacs** has been framed for according administrative approval under head **4217(P) Electrification (Ward Development Fund)**.

In this estimate there is provision of 01 No. S.T. Pole 12 Mtr. long alongwith 01 No. round shape bracket alongwith 04 Nos. 400 Watt Flood Light Fittings and other allied items i.e. CC Collars, Cable, DWC Pipe, Pedestal etc. has been taken to complete the job.

The agenda is put up before the F&CC for consideration and approval please.

Executive Engineer,  
Electrical Division,  
M.C. Chandigarh.

**AGENDA ITEM NO. 20**

**Subject: Providing High Mast Lighting System near Nehru Colony, Sector 53 and near L.B.S. Colony, Sector 54, Chandigarh.**

**(Amount: Rs. 7.65 Lacs)**

This estimate has been framed for providing High Mast Lighting System near Nehru Colony, Sector 53 and near L.B.S. Colony, Sector 54, Chandigarh. These are the slums covered under the rehabilitation policy of U.T. Chandigarh Administration. As per policy of Chandigarh Administration and as per minutes of co-ordination meeting held on 01.06.2010, it was decided that in the temporary colonies basic infrastructure i.e. water supply, footpath, drainage and street light etc. may be provided for the facility of the residents residing in these slums.

The area councilor has also requested that high mast lights may be provided in these colonies as they are deprived of any lights and also it is not feasible to install Street Light in these colonies. One No. each high mast of 16 Mtr. height has been proposed in these colonies for giving light to avoid any mishap/untoward incident in these colonies as these area is mainly habituated by the labourer class and there are frequent quarrels etc. Hence this estimate amounting to **Rs. 7.65 lacs** has been framed for according administrative approval under head **4217(P) Electrification (Ward Development Fund)**.

In this estimate there is provision of 02 Nos. High Mast 16 Mtr. long and Mast with 18 Nos. Flood Lights luminaries having 2x400 Watt Sodium Vapour Lights Fittings. To complete the work, other material/items i.e. Cable, DWC Pipe, Pedestal, Timer etc. has been taken to complete the job.

The agenda is put up before the F&CC for consideration and approval please.

Executive Engineer,  
Electrical Division,  
M.C. Chandigarh.

## **AGENDA ITEM NO. 21**

**Subject: Providing additional Lights in various Market Parking in Sector 37 & 38, Chandigarh.**

**(Amount: Rs. 4.16 Lacs)**

This estimate has been framed for providing additional lights in various market parkings in Sector-37 & 38, Chandigarh. The location of each parking is as under:

1. Market Parking in Sector- 37-C and 37-C&D , Chandigarh.
2. Market Parking in Sector-37-D, (Near Sindhi Sweets) Chandigarh.
3. Market Parking in Sector-38-C, Chandigarh.
4. Market Parking in Sector-38-C&D and 38-D, Chandigarh.

The area councilor has requested to CE/MC that additional lights may be provided in various market parkings of his ward for the safety & convenience of the public. The people/ public of these areas feel insecure in late evening/ night hours for their daily shopping/marketing. The request has been attached along with the estimate. In this estimate it is proposed that one No. 12 Mtr. High Street light pole will be erected in each parking of the market along with 4 No. flood light 400 Watt SVL fittings for total lighting up the entire marking parkings. The consolidated estimate along with abstract of quantities market and sector wise is prepared for estimate purpose.

In addition to the new proposed flood lights on 12 Mtr. High Steel Tubular pole, the existing street lights in these markets also require maintenance such as reframing of C.C. Collar & Junction box, laying of damaged cable of some spaces and other minor things i.e. painting of pole etc. Hence this estimate amounting to **Rs. 4.16 lacs** has been framed for according administrative approval under head **4217(P) Electrification (Ward Development Fund)**.

In this estimate there is provision for 4 Nos. carriage & erection of 12 Mtr. Long poles along with 16Nos. 400 Watt flood light fittings and other allied items i.e. C.C. Collars, Cable, DWC pipe, Bracket etc. has been taken to complete the job.

The agenda is put up before the F&CC for consideration and approval please.

Executive Engineer,  
Electrical Division,  
M.C. Chandigarh.

**AGENDA ITEM NO. 22**

**Subject: Providing Lights in Park near H.No. 2612, 2624, Sector 37-C, Chandigarh.**

**(Amount: Rs. 1.68 Lacs)**

This estimate has been framed for providing lights in Park near H.No. 2612, 2624, Sector 37-C, Chandigarh. The Area Councillor vide letter dated 17.01.2011 requested to install Globe Type Fittings in place of old damaged C.C. Bollards in the Parks from his Ward Development Fund for the convenience of public.

Hence this estimate amounting to **Rs.1.68 lacs** has been framed under Head 4217 (P) Electrification (Ward Development Fund).

In this estimate there is a provision for Prismatic Globe Type Fittings, 2.5” dia G.I. Pipe Pole 4.5 Mtr. long and allied accessories fixtures and fittings for completion of work.

The agenda is put up before the F&CC for consideration and approval please.

Executive Engineer,  
Electrical Division,  
M.C. Chandigarh.



**AGENDA ITEM NO. 23**

**Subject: Deposit estimate for providing 01 No. Street Light near Verka Booth, Sector 15-D, Chandigarh.**

**(Amount: 4,700/-)**

This estimate has been framed for providing 01 No. Street Light near Verka Booth, Sector 15-D, Chandigarh. The Worthy Mayor/Chairperson pointed out during 2<sup>nd</sup> Ward Level Committee meeting of Ward No. 2 held on 29.06.2010 to erect the street light point near Verka Milk Booth in Sector 15-D, Chandigarh vide memo No. 879 dated 29.07.2010. The site visited and observed that there is no Street Light point in said area and it is also realized that there is a great need of illumination in said area. So to illuminate the said area there is a requirement of 01 No. Street Light point.

Hence this estimate amounting to **Rs. 4,700/-** has been framed for according administrative approval under head **4217(P) Electrification**.

In this estimate there is provision of 01 No. PCC Pole 9 Mtr. long, 01 No. Street Light Bracket and 01 No. Tube Fitting. To complete the work, other material/items are also included in this estimate.

The agenda is put up before the F&CC for consideration and approval please.

Executive Engineer,  
Electrical Division,  
M.C. Chandigarh.

## **AGENDA ITEM NO. 24**

**Subject: Deposit estimate for shifting of HT/LT lines due to widening of V-5 Road in Sector 23, Chandigarh.**

**(Amount: Rs.5,78,100/-)**

This estimate has been framed for shifting of HT/LT lines due to widening of V-5 Road in Sector 23, Chandigarh. The Sub Divisional Engineer, Road Sub Division No. 2, M.C. through his letter No. 1254 dated 27.12.2010 to the address of SDO, Electricity 'OP' Sub Division No. 1, Chandigarh has requested for the shifting of existing 11 KV and LT lines coming across the road V-5 to be widening in Sector 23, Chandigarh as per enclosed layout plan. The site has been inspected and found that the electricity system as marked on the layout plan is coming in the way of widening of V-5 Road in Sector 23, Chandigarh which needs to shift. The estimate is therefore framed to recover the shifting charges of the 11 KV line from point C to D and ACSR 154mm<sup>2</sup> conductor for light is proposed for shifting of LT line from point A to point B as marked on the layout plan. It is also proposed to shift the overhead line from point A to K, F to G and street lines beside the road. It is also proposed LT cable 400mm<sup>2</sup> at point E for shifting of LT Pillar and LT 400mm<sup>2</sup> cable and LT Pillar box at point G for shifting of LT line from F to G.

The existing LT line from F to G, A to K and street line will be shifted by reused the dismantled material from A to B and C to D lines. Dismantlement material i.e. 11 KV PCC and S.T Poles, ACSR 80 and 20mm<sup>2</sup> conductor, GSL & SWG, 400mm<sup>2</sup> cable, Disc. Insulators, Pin insulators and allied material not reused shall be returned to store and credit fro the same is afforded to the estimate.

The complete existing and proposed system is marked on the layout plan. The work is of the urgent nature and the cost of the estimate will be deposited by the Road Sub Division No. 2, M.C. Chandigarh. The 11 KV line from point C to D and LT line from point A to B proposed to erect first as new lines to maintain the continuity of supply and then existing line will be dismantled. The existing 11 KV line proposed not to be shifted is being laid about 25 years ago and some of the poles and broken and conductor having numbers of joints. Therefore new line has been proposed instead of dismantle the existing line.

Hence this estimate amounting to **Rs. 5,78,100/-** has been framed for according administrative approval under head **4217(P) Electrification.**

In this estimate there is provision of 865 Mtr. 154mm Conductor, 1106 Mtr. 103mm<sup>2</sup> Conductor, 07 Nos. S.T. Pole 10 Mtr. long and 09 Nos. PCC Poles 9 Mtr. long to complete the work, other material/items are also included in this estimate.

The agenda is put up before the F&CC for consideration and approval please.

Executive Engineer,  
Electrical Division,  
M.C. Chandigarh.

**AGENDA ITEM NO. 25**

**Subject: Augmentation and Shifting of Street Light on V-5 Road, Sector 36-A&B, Chandigarh.**  
**(Amount: Rs. 10.56 Lacs)**

This estimate has been framed for augmentation and shifting of Street Light on V-5 Road in Sector 36-A&B, Chandigarh. The Road Division No. 3, M.C. Chd. has started the work widening of V-5 Road in Sector 36-A&B, Chandigarh. All the existing Street Light Poles comes in the centre of widened position of road and need of shifting.

The Street Light fittings on this road is very old and provided at the time Chandigarh Administration. The fittings has been out live their life.

The reflector are in bad shape and does not reflect light properly on the road resulting darkness on road. The road visibility is poor. The Street Light fittings needs replacement. The existing poles are also of different sizes on the road and also need replacement. The provision of new poles, fittings taken accordingly.

Hence this estimate amounting to **Rs. 10.56 lacs** has been framed under Head 4217 (P) Electrification.

In this estimate there is a provision for dismantling & re-erection of existing 9 Mtr. long pole, S/E of new 9 Mtr. pole, S/E of 150 Watt Street Light Luminaries and allied accessories, fixtures and fittings for completion of work.

The agenda is put up before the F&CC for consideration and approval please.

Executive Engineer,  
Electrical Division,  
M.C. Chandigarh.

**AGENDA ITEM NO. 26**

**Subject: Providing Lights in Parking, Sector 41-D, Chandigarh.**

**(Amount: Rs. 0.61 Lacs)**

This estimate has been framed for providing lights in new parking being constructed by B&R Wing of Municipal Corporation, Chandigarh. The provision of 03 Nos. Steel Tubular Poles alongwith required Nos. of brackets is taken in the estimate.

Hence this estimate amounting to **Rs. 0.61 lacs** has been framed under Head 4217 (P) Electrification.

In this estimate there is a provision of S/E of new 7.5 Mtr. long pole, S/E of G.I. pipe brackets & allied accessories, fixtures & fittings for completion of work.

The agenda is put up before the F&CC for consideration and approval please.

Executive Engineer,  
Electrical Division,  
M.C. Chandigarh.

**AGENDA ITEM NO. 27**

**Subject: Improvement of Lighting on V-4 Road, Sector 16, Chandigarh.**

**(Amount: Rs. 8.30 Lacs)**

This estimate has been framed for providing improvement of lighting on V-4 Road, Sector 16, Chandigarh. The V-4 Road is a very busy road and used by the people visiting G.M.S.H., Sector 16, Rose Garden and Shanti Kunj in this Sector. The illumination on the road was provided way back with HPMV fittings which has outlived their useful life and needs replacement. Some poles are missing and damaged.

Hence this estimate amounting to **Rs.8.30 lacs** has been framed under Head 4217 (P) Electrification.

In this estimate there is a provision of S/E of 9 Mtr. Steel Tubular Pole, S/E of 150 Watt Street Light Fittings and allied accessories, fixtures & fittings for completion of work.

The agenda is put up before the F&CC for consideration and approval please.

Executive Engineer,  
Electrical Division,  
M.C. Chandigarh.

**AGENDA ITEM NO. 28**

**Subject: Providing Lights in Market, Sector 40-C, Chandigarh.**

**(Amount: Rs. 3.12 Lacs)**

This estimate has been framed for providing lights in new parking being constructed by B&R Wing of Municipal Corporation, Chandigarh. The provision of 05 Nos. Steel Tubular Poles alongwith required Nos. of luminaries are taken in the estimate. The parking is being constructed behind the bay shops on V-4 Road, Sector 40-C, Chandigarh.

Hence this estimate amounting to **Rs.3.12 lacs** has been framed under Head 4217 (P) Electrification.

In this estimate there is a provision of dismantling & re-erection of 9 Mtr. long pole, S/E of new 9 Mtr. long S.T. Pole, S/E of 150 Watt Street Light luminary & allied accessories, fixtures & fittings for completion of work.

The agenda is put up before the F&CC for consideration and approval please.

Executive Engineer,  
Electrical Division,  
M.C. Chandigarh.

**AGENDA ITEM NO. 29**

**Subject: Revised estimate for providing E.I. in Community Centre, Sector 21, Chandigarh.**

**(Amount: 2.76 Lacs)**

This revised estimate has been framed for providing E.I. works in Community, Sector 21, Chandigarh (on actual basis). The above said work was allotted to M/s Dasmesh Electricals for amounting to Rs. 70,000/-. While during the execution of work, the scope of work has been increased as per site requirement from Rs. 70,000/- to Rs.2,76,000/-. The provision for these items taken in the already approved estimate vide CEMC O/o No. 199 dated 12.05.2005 and No. 93 dated 03.03.2005 for Rs. 2,10,217/- (Rs. 70,242 + 1,39,975) respectively and the total difference comes to Rs. 65,783/- as the amount of total work done increased to Rs. 2.76 lacs, therefore, this revised estimate has been prepared on the basis of actual work done at site for arranging the administrative approval and allotment of funds under appropriate head.

Hence this estimate amounting to **Rs.2.76 lacs** has been framed for according administrative approval under head **Deposit Work**.

In this estimate there is provision of lighting and ventilation and allied accessories, fixture & fittings to complete the work, other material/items are also included in this estimate.

The agenda is put up before the F&CC for consideration and approval please.

Executive Engineer,  
Electrical Division,  
M.C. Chandigarh.



**AGENDA ITEM NO. 30**

**Subject: Improvement of Lighting in Crematorium, Sector 25, Chandigarh.**

**(Amount: Rs. 3.71 Lac)**

This estimate has been framed for providing improvement of lighting in Crematorium Sector 25, Chandigarh. The Worthy Mayor, M.C. Chandigarh inspected the Cremation Ground, Sector 25, Chandigarh alongwith the senior officers of the Corporation. The care taker of the Cremation Ground requested to the Worthy Mayor to provide sufficient lighting in the area where the bodies are being cremated. The Worthy Mayor directed to provide Metal Halide Fittings on the 9 Mtr. long poles on both sides. The tube light fittings in the prayer hall are also in bad shape and needs replacement.

Hence this estimate amounting to **Rs.3.71 lacs** has been framed under Head **4217 (P) Electrification.**

In this estimate there is a provision of S&E of 9 Mtr. Steel Tubular Pole, S&E of M.S. Bracket & allied accessories, fixtures & fittings for completion of work.

The agenda is put up before the F&CC for consideration and approval please.

Executive Engineer,  
Electrical Division,  
M.C. Chandigarh.